
LINER MEASURING INSTRUCTIONS.



2. Establish two stake positions and label them A and B Use spikes, rebar or screwdrivers with a minimum distance of 15 feet apart. When choosing a position, ensure they are parallel or perpendicular to the pool centerline and if extended in either direction must not intersect the pool. The stakes must be a minimum of 3 feet back from the pool's edge. Once the stake position is established, record the measurement (distance between the A and B) and location on the attached measuring form. We cannot tell the hand of the pool if the stakes are not shown in relation to the pool.

measuring sheet. If you are using the common shapes

sheet, be sure to use the correct hand.

pool. Indicate clearly the hopper (deep end) and the

shallow end breaks if you are using the freeform

1. Begin with an accurate freehand sketch indicating the inside of the pool perimeter and the profile of the

- 3. Attach a 100 foot tape measure to each of the stakes. Be sure to remember which stake is label A and B. Start from a distinctive point (the start of a step or the break-off). Pull both the tape measurement of the point at the same time. Record the measurement for the A tape in the A column on the measuring sheet and the B measurement in the B column starting at point number one.
- can go wider on a straight wall pool but enough points must be given along the wall in the event one point does not work. You must plot the start and the end of a radius corner as 4. Continue taking a measurement around the entire perimeter of the pool approximately every 2 feet for the large radius section and 1 foot for a tight reverse sections. well as two points in between. It is also important to locate any angle changes or miter corners on straight wall pool. For example the inside corner on a Lazy L pool.
- 5. Define the Break-off and Hopper Line: If possible use a level and sidewalk chalk to mark the break points on the coping, if the break-off is rounded or non common, more details must be provided and photos may be required. Establish the back (H1 and H2) hopper line: this is where the front transition slope meets the hopper (flat deep end). The points for the hopper line must be taken at the coping level, not inside the pool. Take an imaginary line across the hopper at the coping using a string or a tape and mark the coping with chalk. Record the A/B measurement for all the above points clearly marking them as S1, S2 and H1, H2.
- 6. Measure the Perimeter, this is extremely important for shaped pools. This measurement is used to confirm that the plot given is accurate. Use a 100' fiberglass tape measure, recommended) Slide the tape along the wall just below the coping around the pool, don't forget to also measure the step if present also indicate if the step is straight or curved. start at a distinctive point like the edge of the step or break-off. If a perimeter wheel is used, it must be done several times and an average given (please note this is not
- hopper and provide all the measurements if they vary by more than 4 inches, if not give the shortest as the depth. Do not forget to subtract the measurement from the top of deck 7. Measure the slopes, depth and wall height. Do not measure the depth at the main drain, measure the depth at the edge of the slopes. Take several measurements around the to the bead retainer for the overall depth. Take multiple measurements around the shallow end measuring from the bead retainer to the shallow end floor, to confirm the shallow end depth. All measurements must be taken horizontally and vertically.

method. Pull the tape measure tight and making sure it does not get caught on obstructions. All measurements must be take at the same elevation. Please use a black pen and Tips: When positioning the stakes, the ideal position is parallel to the centerline; due to landscaping this might not be possible. The stakes can be located anywhere around the print clearly when filling out the measuring forms to avoid delays in processing your orders. Please provide photos for any pools with strange or non common features. pool as long as it does not cross the perimeter of the pool, if extended in either direction. It is not necessary to mark the coping, unless you feel more comfortable using this

DEALER:	PHONE #:	FAX #:	TAG / JOB :
PLEASI	PLEASE SKETCH ACCURATELY THE OUTLINE OF THE POOL AND POOL PROFILE.	LINE OF THE POOL AND POO	L PROFILE.
design@covertechfab.com Fax # 416 - 642 - 0686	POS	POSITION ONE	AB POSITION (
SHALLOW / HOPPER LOCATION			POSITION TWO
A B			SLOPES:
S1			CONVEX
S2			CONCAVE BEAD TYPE:
H			STANDARD
Н2			OTHER
SPECIAL NOTES:			
			NO: location on top view or the pool for wall seam YES: Show location on top view of the pool. Include Step dims SAFETY LEDGE:
			END:
PLEASE TAKE MEASUREMENTS STANDING IN THE DEEP LOOKING TO SHALLOW.			SIDE PROFILE OF POOL
LEFT HOPPER RIGHT SLOPE	Pos	POSITION TWO	BACK
PLEASE	PLEASE INDICATE THE AB POSITION AND THE DISTANCE BETWEEN THE STAKES.	THE DISTANCE BETWEEN TH	IE STAKES.
MT WITH	USE THE AB NUMBER SHEET F	BER SHEET FOR THE AB MEASUREMENTS.	اد.
QUALITY LINER PRODUCTS	279 HUMBERLINE DRIVE - TORONTO - ONTARIO - CANADA - M9W 5T6 1 - 800 - 837 - 8961 - WWW. COVERTECHFAB.COM	- ONTARIO - CANADA - M9W 5T6 /. COVERTECHFAB.COM	PAGE 2 OF

			ACU - FIT	LINE	R FREEFOR	ACU - FIT LINER FREEFORM MEASURING SHEET	NG SHEE	H.	
	Ö	А	В	ON	А	В	NO.	A	В
QUALITY LINER PRODUCTS	1			26			51		
EMAIL : design@covertechiab.com Fax # 416 - 642 - 0686	2			27			52		
DEALER INFORMATION	3			28			23		
DEALER:	4			29			24		
PHONE:	2			30			99		
FAX:	9			31			99		
TAG/JOB:	2			32			25		
SHIPPING INSTRUCTIONS	8			33			28		
SHIP TO:	6			34			69		
PHONE #:	10			35			09		
FAX #:	11			36			61		
ADDRESS:	12			37			62		
CITY:	13			38			63		
PROV./STATE:	14			39			64		
POSTAL / ZIP:	15			40			65		
LINER INFORMATION	16			41			99		
LENGTH:	17			42			29		
WIDTH:	18			43			89		
SHAPE:	19			44			69		
WALL PATTERN:	20			45			02		
FLOOR PATTERN:	21			46			71		
BEAD COLOUR:	22			47			72		
DEPTH:	23			48			73		
WALL HEIGHT:	24			49			74		
PERIMETER:	25			20			75		
COVERTECH FABRICATING INC.		279 HUMBERLINE DRIVE 1 - 800 - 837 -	- ТОI 8961	TORONTO 361 - WWW	RONTO - ONTARIO - CANADA - WWW. COVERTECHFAB.COM	CANADA - M9W 5T6 FAB.COM		PAGE 1 OF	1 OF



NAME

CONTACT

BILL TO

ADDRESS:

CITY:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX#:

SHIP TO

ADDRESS:

PROVINCE:

CIT

POSTAL CODE:

FAX#:

PHONE #:

LINER INFORMATION

TAG / JOB:

Od

FLOOR PATTERN: WALL PATTERN:

BEAD COLOUR:

POOL SIZE:

DEPTH:

WALL HEIGHT

PERIMETER

COVE SHALLOW AND DEEPER BREAK NON STANDARD PROFILE

PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686

COVERTECH

design@covertechfab.com

EMAIL:


POOL INFO

☐ STANDARD

SLOPES:

CONVEX

CONCAVE BEAD TYPE:



 	PLEASE PROVIDE THE SIDE SLOPE OR COVE.	
\ \ \ \ \ \		

Fiberglass / Acrylic step show coation on top view of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

REVERSE

CORNER

POOL CORNERS

=

SIDES

END

SQUARE

SQUARE

<u></u>%

°%

RADIUS

RADIUS

8

9

CUT


PAGE 1 OF

PICK - UP

MOTOR FREIGHT

UPS (IF POSSIBLE)

SHIP VIA:





PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686

NON STANDARD PROFILE

COVERTECH

design@covertechfab.com

EMAIL:

POOL INFO

☐ STANDARD

SLOPES:

CONVEX

CONCAVE BEAD TYPE:

PRODUCTS	
LINER	
QUALITY	

Z
ā
\succeq
F
4
\geq
2
α
$\overline{\cap}$
\mathbf{H}
=
=
_
œ
Ш
₹
\leq
\mathbf{O}
\vdash
S
Ä
$\overline{}$
O

NAME

CONTACT:

ì	_
-	_
C	Ω

ADDRESS: CITY:

PROVINCE:

POSTAL CODE:

PHONE #: FAX# SHIP TO

ADDRESS: CIT

PROVINCE:

POSTAL CODE:

FAX#:


PHONE #:

LINER INFORMATION

TAG / JOB:

PERIMETER:

FLOOR PATTERN: WALL PATTERN: BEAD COLOUR: WALL HEIGHT POOL SIZE: **DEPTH:** # Od



Fiberglass / Acrylic step show of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

REVERSE

CORNER

POOL CORNERS

=

SIDES

END

SQUARE

<u></u>%

RADIUS

RADIUS

8

9

CUT


PAGE 1 OF


PICK - UP


MOTOR FREIGHT


UPS (IF POSSIBLE)

SHIP VIA:












CUSTOMER INFORMATION
NAME:
CONTACT:
BILL TO
ADDRESS:
CITY:
PROVINCE:
POSTAL CODE:
PHONE #:
FAX #:
SHIP TO
ADDRESS:
CITY:
PROVINCE:
POSTAL CODE:
PHONE #:
FAX #:



** PLEASE SPECIFY YOUR AB POSITION, AND PREFERRED WALL SEAM LOCATION *

	S	SAFE END SIDE	O: location on to pool for wall ES: Show locatic the pool. Inc ETY LEDGE: : S: AB POSI	perglass / Acrylic step show addron on top view of the ol for wall seam ow location on top view of pool. Include Step dims DGE: 11 POSITION ON ONE						
**	J [=		OSITION ON OSITION TW							
В			Α	В						
		37								
		38								
		39								
		40								
		41								
		42								
		43								
		44								
		45								
		46								

COVERTECH

PHONE: 1 - 800 - 837 - 8961 FAX: 416 - 642 - 0686

EMAIL: design@covertechfab.com

POOL INFO

☐ STANDARD - REVERSE

VINYL COVERED STEPS:

SLOPES STANDARD 5 ☐ CONVEX ☐ CONCAVE 「 BEAD TYPE: ☐ STANDARD

OTHER

PHONE #:		Α	B	A	. B	A	B	Α	В		Α	В
FAX #:	S1		7		1	7	2	7		37		
LINER INFORMATION	S2		8		18	3	2	8		38		
	H1		9		19	9	2	9		39		
TAG / JOB:			10	1	20		3	0		40		
PO #:				′		<u>ال</u>	3	<u> </u>		40		
WALL PATTERN:	-1		1	1	2	1	3	1		41		
FLOOR PATTERN:	2		12	2	2:	2	3	2		42		
BEAD COLOUR:	3		1;	3	2:	3	3	3		43		
POOL SIZE:			14	1	24	4	3	4		44		
DEPTH:			'	+			+			44		
WALL HEIGHT:	5		1:	5	25	5	3	5		45		
PERIMETER:	6		10	5	20	6	3	6		46		
SHIP VIA: UPS (IF POSSIBLE)	MOTOR	FREIGHT	PICK - UF	F	or non-standard slope If more points are	· •				F	PAGE 1 OF	



NAME

CONTACT:

BILL TO

ADDRESS: CITY:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX#:

SHIP TO

ADDRESS:

PROVINCE:

CITY:

POSTAL CODE:

PHONE #:

FAX#

LINER INFORMATION

TAG / JOB:

PO #

WALL PATTERN:

FLOOR PATTERN: BEAD COLOUR:

POOL SIZE:

DEPTH:

WALL HEIGHT:

PERIMETER:

CORNERS GRECIAN

PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686 EMAIL:

COVERTECH

design@covertechfab.com

POOL INFO


☐ STANDARD

SLOPES:

CONVEX

CONCAVE

BEAD TYPE:



PLEASE INDICATE PREFERRED WALL SEAM LOCATION.

HOPPER TYPE

POOL CORNERS

SIDES

END

SQUARE

4 SIDES

,0²

GRECIAN

RADIUS

Fiberglass / Acrylic step show location on top view of the pool for wall seam

VINYL COVERED STEPS:


OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:



NOTES:

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

UPS (IF POSSIBLE)

SHIP VIA:

MOTOR FREIGHT

PICK - UP

RADIUS SIZE

ROUNDED

6 SIDES



PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686 EMAIL:

COVERTECH

design@covertechfab.com

POOL INFO

☐ STANDARD

SLOPES:

CONVEX

CONCAVE

BEAD TYPE:

CUSTOMER INFORMATION

NAME:

CONTACT:

BILL TO

ADDRESS:

CITY:

PROVINCE:

POSTAL CODE.

PHONE #: FAX #:

|

SHIP TO

ADDRESS: CITY:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX#

HOPPER TYPE

POOL CORNERS

SIDES

END

SQUARE

4 SIDES

°05

RADIUS

LINER INFORMATION

TAG / JOB:

PO #:

WALL PATTERN: FLOOR PATTERN:

BEAD COLOUR:

POOL SIZE:

DEPTH:

WALL HEIGHT:

RADIUS SIZE

PICK - UP

MOTOR FREIGHT

UPS (IF POSSIBLE)

SHIP VIA:

NOTES:


FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

6 SIDES

9

ROUNDED

PERIMETER:



Fiberglass / Acrylic step show location on top view of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:



NAME

CONTACT:

BILL TO

ADDRESS: CITY:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX #:

SHIP TO

ADDRESS:

CITY:

PROVINCE:

POSTAL CODE:

PHONE #: FAX #:

LINER INFORMATION

TAG / JOB:

PO #:

WALL PATTERN:

FLOOR PATTERN: BEAD COLOUR:

POOL SIZE:

DEPTH:

WALL HEIGHT:

PERIMETER:

GRECIAN - L RIGHT HAND

PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686 EMAIL:

COVERTECH

design@covertechfab.com


POOL INFO

☐ STANDARD

SLOPES:

CONVEX

☐ CONCAVE BEAD TYPE:



PLEASE INDICATE PREFERRED WALL SEAM LOCATION.

Fiberglass / Acrylic step show location on top view of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

HOPPER TYPE

POOL CORNERS

SIDES:

END

SQUARE

4 SIDES

°05

GRECIAN


RADIUS

6 SIDES

9

ROUNDED

CUT



UPS (IF POSSIBLE) MOTOR FREIGHT PICK - UP

SHIP VIA:

RADIUS SIZE



NAME

CONTACT:

BILL TO

ADDRESS: CITY:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX#:

SHIP TO

ADDRESS: CITY:

PROVINCE:

POSTAL CODE:

PHONE #: FAX#

LINER INFORMATION

TAG / JOB:

PO #

FLOOR PATTERN: WALL PATTERN:

BEAD COLOUR:

POOL SIZE: DEPTH:

WALL HEIGHT:

PERIMETER:

GRECIAN OFFSET LEFT HAND

PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686 EMAIL:

COVERTECH

design@covertechfab.com

POOL INFO

☐ STANDARD

SLOPES:

CONVEX

CONCAVE

BEAD TYPE:

PLEASE INDICATE PREFERRED WALL SEAM LOCATION.

Fiberglass / Acrylic step show location on top view of the pool for wall seam

VINYL COVERED STEPS:

STANDARD - REVERSE

OTHER

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

HOPPER TYPE

POOL CORNERS

SIDES


END

SQUARE

4 SIDES

GRECIAN

RADIUS



FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

UPS (IF POSSIBLE)

SHIP VIA:

MOTOR FREIGHT

PICK - UP

RADIUS SIZE

=

ROUNDED

6 SIDES



NAME

CONTACT:

BILL TO

ADDRESS:

PROVINCE: CITY:

POSTAL CODE:

PHONE #:

FAX#:

SHIP TO

ADDRESS: CITY:

POSTAL CODE:

PROVINCE:

PHONE #:

FAX#

LINER INFORMATION

TAG / JOB:


PO #

FLOOR PATTERN: WALL PATTERN:

BEAD COLOUR:

POOL SIZE: DEPTH: WALL HEIGHT:

PERIMETER:



PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686 EMAIL:

COVERTECH

design@covertechfab.com

POOL INFO

☐ STANDARD

SLOPES:

CONVEX

CONCAVE BEAD TYPE:

PLEASE INDICATE PREFERRED WALL SEAM LOCATION.

Fiberglass / Acrylic step show location on top view of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

HOPPER TYPE

POOL CORNERS

SIDES


END

SQUARE

4 SIDES

GRECIAN

RADIUS



FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

UPS (IF POSSIBLE)

SHIP VIA:

MOTOR FREIGHT


PICK - UP


RADIUS SIZE


=


ROUNDED


6 SIDES






















NAME

CONTACT:

BILL TO

CITY:

ADDRESS:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX#:

SHIP TO

PROVINCE: ADDRESS: CITY:

FAX#

PHONE #:

POSTAL CODE:

LINER INFORMATION

TAG / JOB:

PO #

WALL PATTERN:

FLOOR PATTERN: BEAD COLOUR:

DEPTH:

POOL SIZE:

WALL HEIGHT:

NOTES:

PERIMETER:

UPS (IF POSSIBLE) SHIP VIA:

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

MOTOR FREIGHT

PICK - UP

COVERTECH

PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686 EMAIL:

design@covertechfab.com

☐ STANDARD CONCAVE BEAD TYPE: CONVEX

OTHER

VINYL COVERED STEPS

Fiberglass / Acrylic step show location on top view of the pool for wall seam

SAFETY LEDGE:

END

WALL HEIGHT

FLOOR

SIDES

POOL CORNERS

RADIUS

6 SIDES

POOL INFO

STANDARD - REVERSE

OPTIONAL SHALLOW END WALL DIMENSIONS

%

ROUNDED

☐ STANDARD

=

SLOPES:

YES: Show location on top view of the pool. Include Step dims


HOPPER TYPE


PLEASE INDICATE PREFERRED WALL SEAM LOCATION.


4 SIDES


GRECIAN



















NAME

CONTACT

BILL TO

POSTAL CODE: PROVINCE: ADDRESS: PHONE #: FAX#: CITY:

SHIP TO

POSTAL CODE: PROVINCE: ADDRESS: PHONE #: FAX#: CITY

LINER INFORMATION

TAG / JOB:

WALL PATTERN:

Od

FLOOR PATTERN: BEAD COLOUR:


POOL SIZE:

DEPTH:


WALL HEIGHT

PERIMETER

SMALL CORNERS **LEFT HAND** LAZY - L



PLEASE INDICATE PREFERRED WALL SEAM LOCATION.



MEASURE DIAGONALS TO THE IMAGINARY SQUARE CORNERS, USE CHALK AND A FRAMING SQUARE TO CREATE THE SQUARE CORNER.

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

TUPS (IF POSSIBLE)

SHIP VIA:

PICK - UP MOTOR FREIGHT

COVERTECH

PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686

EMAIL:

design@covertechfab.com

POOL INFO

☐ STANDARD CONCAVE CONVEX SLOPES:

BEAD TYPE:

STANDARD - REVERSE ☐ STANDARD

OTHER

VINYL COVERED STEPS:

Fiberglass / Acrylic step show Cocation on top view of the pool for wall seam

YES: Show location on top view of the pool. Include Step dims

END

SAFETY LEDGE:

SIDES

REVERSE ☐ SQUARE POOL CORNERS CORNER SQUARE

<u>"%</u>

RADIUS RADIUS

8 2

COT

CUT

PAGE 1 OF



PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686

COVERTECH

design@covertechfab.com

EMAIL:

POOL INFO

☐ STANDARD

SLOPES:

CONVEX

CONCAVE BEAD TYPE:

CUSTOMER INFORMATION

NAME

CONTACT

BILL TO

ADDRESS:

CITY:

PROVINCE:

POSTAL CODE: PHONE #:

FAX#:

SHIP TO

POSTAL CODE: PROVINCE: ADDRESS: PHONE #: CIT

LINER INFORMATION

FAX#:

TAG / JOB:

Od

FLOOR PATTERN: WALL PATTERN:


BEAD COLOUR:

POOL SIZE:

DEPTH:

WALL HEIGHT

PERIMETER



PLEASE INDICATE PREFERRED WALL SEAM LOCATION.

Fiberglass / Acrylic step show Cocation on top view of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

REVERSE

CORNER

POOL CORNERS

SIDES

END

INDICATE BREAK IF NOT AT CORNER PROVIDE MEASUREMENT FROM THE CORNER NOTES

USE THIS TO MEASURE POOL WITH RADIUS SMALL THAN 12"

MEASURE DIAGONALS TO THE IMAGINARY SQUARE CORNERS, USE CHALK AND A FRAMING SQUARE TO CREATE THE SQUARE CORNER.

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

TUPS (IF POSSIBLE)

SHIP VIA:

PICK - UP MOTOR FREIGHT


<u>"%</u> 2 RADIUS G


RADIUS


CUT CUT


8

PAGE 1 OF











NAME

CONTACT:

BILL TO

CITY:

ADDRESS:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX#:

SHIP TO

ADDRESS:

CITY:

PROVINCE:

POSTAL CODE:

FAX#

PHONE #:

LINER INFORMATION

TAG / JOB:

PO #

WALL PATTERN:

FLOOR PATTERN: BEAD COLOUR:

POOL SIZE:

WALL HEIGHT:

DEPTH:

NOTES:

PERIMETER:

OCTAGON HOPPER

PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686 EMAIL:

COVERTECH

design@covertechfab.com

POOL INFO

☐ STANDARD

SLOPES:

CONVEX

CONCAVE

BEAD TYPE:

PLEASE INDICATE PREFERRED WALL SEAM LOCATION.

HOPPER TYPE

POOL CORNERS

SIDES

END

SQUARE

4 SIDES

°05

GRECIAN

RADIUS

Fiberglass / Acrylic step show location on top view of the pool for wall seam

VINYL COVERED STEPS:


OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:



FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

UPS (IF POSSIBLE)

SHIP VIA:

RADIUS SIZE

=


ROUNDED


6 SIDES

9

PICK - UP

MOTOR FREIGHT







OVAL

PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686 EMAIL:

COVERTECH

design@covertechfab.com

POOL INFO

☐ STANDARD

SLOPES:

□ CONVEX

CONCAVE BEAD TYPE:

CUSTOMER INFORMATION

NAME

CONTACT:

BILL TO

ADDRESS: CITY:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX#:

SHIP TO

ADDRESS:

CITY:

PROVINCE:

POSTAL CODE:

FAX#

PHONE #:

LINER INFORMATION

TAG / JOB:

PO #

WALL PATTERN:

FLOOR PATTERN: BEAD COLOUR:

POOL SIZE:

DEPTH:

WALL HEIGHT:

PERIMETER:

PLEASE INDICATE PREFERRED WALL SEAM LOCATION.

Fiberglass / Acrylic step show location on top view of the pool for wall seam

VINYL COVERED STEPS:


OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:



HOPPER TYPE

POOL CORNERS

SIDES:

END

SQUARE

4 SIDES

<u></u>%

GRECIAN

RADIUS

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE NOTES:

MOTOR FREIGHT UPS (IF POSSIBLE)

SHIP VIA:


PICK - UP


RADIUS SIZE =

ROUNDED

6 SIDES

9







NAME

CONTACT

BILL TO

ADDRESS:

CITY:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX#:

SHIP TO

POSTAL CODE: PROVINCE: ADDRESS: PHONE #: CIT

LINER INFORMATION

FAX#:

TAG / JOB:

Od

FLOOR PATTERN: WALL PATTERN:

BEAD COLOUR:

POOL SIZE:

DEPTH:

WALL HEIGHT

PERIMETER

RADIUS CORNERS RECTANGLE

PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686

COVERTECH

design@covertechfab.com


POOL INFO

☐ STANDARD

SLOPES:

☐ CONCAVE ☐ CONVEX

BEAD TYPE :



PLEASE INDICATE PREFERRED WALL SEAM LOCATION.

Fiberglass / Acrylic step show Ocation on top view of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

REVERSE

CORNER

POOL CORNERS

SIDES:

END:


☐ SQUARE

SQUARE

<u>"%</u>

RADIUS

RADIUS



USE THIS TO MEASURE POOL WITH RADIUS LARGER THAN 12"

MEASURE THE LENGTH GOING AROUND THE CORNER FROM PANEL JOINT TO PANEL JOINT

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

MOTOR FREIGHT UPS (IF POSSIBLE)

SHIP VIA:

PICK - UP

9

Q

CUT



NAME

CONTACT

BILL TO

ADDRESS:

CITY:

POSTAL CODE: PROVINCE:

PHONE #:

FAX#:

SHIP TO

POSTAL CODE: PROVINCE: ADDRESS: PHONE #: CITY

LINER INFORMATION

FAX#:

TAG / JOB:

Od

FLOOR PATTERN: WALL PATTERN:

POOL SIZE:


BEAD COLOUR:

DEPTH:


WALL HEIGHT

PERIMETER

SMALL CORNERS RECTANGLE



PLEASE INDICATE PREFERRED WALL SEAM LOCATION.



USE THIS TO MEASURE POOL WITH RADIUS SMALL THAN 12"

MEASURE DIAGONALS TO THE IMAGINARY SQUARE CORNERS, USE CHALK AND A FRAMING SQUARE TO CREATE THE SQUARE CORNER.

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

MOTOR FREIGHT UPS (IF POSSIBLE)

SHIP VIA:

PICK - UP

COVERTECH

PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686

EMAIL:

design@covertechfab.com

POOL INFO

☐ STANDARD CONCAVE BEAD TYPE: CONVEX SLOPES:

☐ STANDARD

STANDARD - REVERSE

OTHER

VINYL COVERED STEPS:

Fiberglass / Acrylic step show Cocation on top view of the pool for wall seam

YES: Show location on top view of the pool. Include Step dims

END

SAFETY LEDGE:

SIDES

REVERSE POOL CORNERS

CORNER SQUARE

"*O*5

RADIUS RADIUS

8 2

CUT

COT

PAGE 1 OF



PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686 EMAIL:

COVERTECH

design@covertechfab.com

POOL INFO

☐ STANDARD

SLOPES:

CONVEX

CONCAVE

BEAD TYPE:

CUSTOMER INFORMATION

NAME:

CONTACT:

BILL TO

ADDRESS:

CITY:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX#:

SHIP TO

ADDRESS: CITY:

POSTAL CODE:

PROVINCE:

PHONE #:

FAX#

LINER INFORMATION

TAG / JOB:

PO #

FLOOR PATTERN: WALL PATTERN:

BEAD COLOUR:

POOL SIZE:

DEPTH:

WALL HEIGHT:

RADIUS SIZE

=

PICK - UP

MOTOR FREIGHT

TUPS (IF POSSIBLE)

SHIP VIA:

ROUNDED

6 SIDES

9

PERIMETER:

PLEASE INDICATE PREFERRED WALL SEAM LOCATION. FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE ROMAN NOTES:

Fiberglass / Acrylic step show location on top view of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

HOPPER TYPE

POOL CORNERS

SIDES:

END

SQUARE

4 SIDES

°05

GRECIAN

RADIUS



NAME

CONTACT:

BILL TO

ADDRESS: CITY:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX#:

SHIP TO

ADDRESS: CITY:

PROVINCE:

POSTAL CODE:

PHONE #: FAX#

LINER INFORMATION

TAG / JOB:

PO #

WALL PATTERN:

FLOOR PATTERN: BEAD COLOUR:

POOL SIZE:

DEPTH:

WALL HEIGHT:

PERIMETER:

PLEASE INDICATE PREFERRED WALL SEAM LOCATION. SINGLE ROMAN

COVERTECH

PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686 EMAIL:

design@covertechfab.com

STANDARD - REVERSE ☐ STANDARD CONCAVE BEAD TYPE: CONVEX

OTHER

VINYL COVERED STEPS:

END

SIDES

POOL CORNERS SQUARE

RADIUS

9

ROUNDED

RADIUS SIZE

☐ STANDARD

Fiberglass / Acrylic step show location on top view of the pool for wall seam

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

6 SIDES

POOL INFO

SLOPES:

HOPPER TYPE

4 SIDES

GRECIAN

=

PICK - UP

MOTOR FREIGHT

UPS (IF POSSIBLE)

SHIP VIA:

NOTES:

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE



NAME

CONTACT:

BILL TO

ADDRESS: CITY:

PROVINCE:

POSTAL CODE:

PHONE #:

FAX #:

SHIP TO

ADDRESS:

CITY

PROVINCE:

POSTAL CODE:

PHONE #: FAX#:


TAG / JOB:

FLOOR PATTERN:

POOL SIZE:

WALL HEIGHT:

PERIMETER:



PHONE :1 - 800 - 837 - 8961 FAX : 416 - 642 - 0686 EMAIL:

COVERTECH

design@covertechfab.com

POOL INFO

☐ STANDARD

SLOPES:

CONVEX

CONCAVE

OPTIONAL BOTTOM PROFILES, PLEASE CHOOSE ONE IF APPLICABLE PLEASE INDICATE PREFERRED WALL SEAM LOCATION.

Fiberglass / Acrylic step show location on top view of the pool for wall seam

VINYL COVERED STEPS:

STANDARD - REVERSE


OTHER

☐ STANDARD

BEAD TYPE:

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:



HOPPER TYPE

POOL CORNERS

SIDES

END

SQUARE

4 SIDES GRECIAN

°05

RADIUS

LINER INFORMATION

PO #

WALL PATTERN:

BEAD COLOUR:

DEPTH:

NOTES:

UPS (IF POSSIBLE)

SHIP VIA:

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

MOTOR FREIGHT

PICK - UP

RADIUS SIZE

=

6 SIDES

9

ROUNDED



COVERTECH

design@covertechfab.com

POOL INFO

☐ STANDARD

SLOPES:

☐ CONCAVE ☐ CONVEX

BEAD TYPE

CUSTOMER INFORMATION

NAME

CONTACT

BILL TO

ADDRESS: CITY:

POSTAL CODE: PROVINCE:

PHONE #:

FAX#:

SHIP TO

ADDRESS:

PROVINCE:

CITY

POSTAL CODE:

PHONE #:

FAX#:

LINER INFORMATION

TAG / JOB:

Od

FLOOR PATTERN: WALL PATTERN:


BEAD COLOUR:

POOL SIZE:

DEPTH:

WALL HEIGHT

PERIMETER



Fiberglass / Acrylic step show Ocation on top view of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

REVERSE

CORNER

POOL CORNERS

SIDES:

END

☐ SQUARE

SQUARE

°%

RADIUS

RADIUS

8

9

CUT

PICK - UP

MOTOR FREIGHT

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

UPS (IF POSSIBLE)

SHIP VIA:

MEASURE THE LENGTH GOING AROUND THE CORNER FROM PANEL JOINT TO PANEL JOINT



COVERTECH

design@covertechfab.com

POOL INFO

☐ STANDARD

SLOPES:

CONCAVE ☐ CONVEX

BEAD TYPE

CUSTOMER INFORMATION

NAME

CONTACT

BILL TO

ADDRESS:

PROVINCE: CITY:

POSTAL CODE:

PHONE #:

FAX#:

SHIP TO

ADDRESS:

PROVINCE:

CIT

POSTAL CODE:

PHONE #:

FAX#:

LINER INFORMATION

TAG / JOB:

WALL PATTERN:

Od

FLOOR PATTERN:

POOL SIZE:


BEAD COLOUR:

DEPTH:

WALL HEIGHT

PERIMETER

SHIP VIA:



PLEASE INDICATE PREFERRED WALL SEAM LOCATION.

Fiberglass / Acrylic step show Ocation on top view of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

REVERSE

CORNER

POOL CORNERS

SIDES:

END:

☐ SQUARE

SQUARE

<u>"%</u>


RADIUS

RADIUS

USE THIS TO MEASURE POOL WITH RADIUS LARGER THAN 12"

MEASURE THE LENGTH GOING AROUND THE CORNER FROM PANEL JOINT TO PANEL JOINT

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE



9

R

PICK - UP



COVERTECH

design@covertechfab.com

EMAIL:

POOL INFO

☐ STANDARD

SLOPES:

CONVEX

CONCAVE BEAD TYPE:

CUSTOMER INFORMATION

NAME

CONTACT

BILL TO

ADDRESS:

CITY:

POSTAL CODE:

PROVINCE:

PHONE #:

FAX#:

SHIP TO

POSTAL CODE: PROVINCE: ADDRESS: PHONE #: CITY

LINER INFORMATION

FAX#:

TAG / JOB:

Od

FLOOR PATTERN: WALL PATTERN:

BEAD COLOUR:

POOL SIZE:

DEPTH:

WALL HEIGHT

PERIMETER

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE

TUPS (IF POSSIBLE)

SHIP VIA:

MEASURE DIAGONALS TO THE IMAGINARY SQUARE CORNERS, USE CHALK AND A FRAMING SQUARE TO CREATE THE SQUARE CORNER.

USE THIS TO MEASURE POOL WITH RADIUS SMALL THAN 12"

NOTES

PLEASE INDICATE PREFERRED WALL SEAM LOCATION. SMALL RADIUS **SQUARE - L LEFT HAND**

Fiberglass / Acrylic step show Cocation on top view of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

SIDES END

REVERSE "*O*5 8 ☐ SQUARE RADIUS POOL CORNERS CORNER 2 SQUARE RADIUS

CUT

COT

PAGE 1 OF

PICK - UP MOTOR FREIGHT



COVERTECH

design@covertechfab.com

EMAIL:

POOL INFO

☐ STANDARD

SLOPES:

CONVEX

☐ CONCAVE

CUSTOMER INFORMATION

NAME:

CONTACT:

BILL TO

ADDRESS: CITY:

PROVINCE:

POSTAL CODE:

FAX #:

PHONE #:

SHIP TO

ADDRESS:
CITY:
PROVINCE:
POSTAL CODE:

PHONE #:

FAX#:

LINER INFORMATION

TAG / JOB:

PO #: WALL PATTERN: FLOOR PATTERN:

BEAD COLOUR: POOL SIZE:

DEPTH:

WALL HEIGHT

PERIMETER:

PAGE 1 OF

PICK - UP

MOTOR FREIGHT

FOR NON - STANDARD BOTTOM PROFILE, PLEASE FILL OUT THE NON STANDARD PROFILE PAGE


TUPS (IF POSSIBLE)

SHIP VIA:

MEASURE DIAGONALS TO THE IMAGINARY SQUARE CORNERS, USE CHALK AND A FRAMING SQUARE TO CREATE THE SQUARE CORNER.

USE THIS TO MEASURE POOL WITH RADIUS SMALL THAN 12"

NOTES



Fiberglass / Acrylic step show Cocation on top view of the pool for wall seam

VINYL COVERED STEPS:

OTHER

STANDARD - REVERSE

☐ STANDARD

YES: Show location on top view of the pool. Include Step dims

SAFETY LEDGE:

END

